

MODEL	BIO 1570	BIO 1450	BIO 1540	BIO 1440
COLOR OPTIONS				
Stainless steel-X	•	•	•	•
Aluminium-L	•	-	•	•
White-Alu glass inlay-A				
OVEN				
Oven type	Multifunction	Multifunction	Multifunction	Multifunction
Oven functions	1.Conventional, 2.Fan heating, 3.Grill and fan, 4.Pizza, 5.Grill, 6.Bottom heat, 7.Defrost, 8.Top, bottom heat and fan, 9.Strong Grill, 10.Booster, 11.3D cooking, 12.Pyro	1.Conventional, 2.Fan heating, 3.Grill and fan, 4.Strong Grill, 5.Pizza, 6.3D cooking, 7.Bottom heat, 8.Defrost, 9.Booster, 10.Pyro	1.Conventional, 2.Fan heating, 3.Grill and fan, 4.Pizza, 5.Grill, 6.Bottom heat, 7.Defrost, 8.Booster, 9.Strong Grill, 10.3D cooking	1.Conventional, 2.Fan heating, 3.Grill and fan, 4.Pizza, 5.Grill, 6.Bottom heat, 7.Defrost, 8.Booster, 9.Strong Grill, 10.3D cooking
Pyrolysis	•	•	-	-
Booster function	•	•	•	•
3D cooking function	•	•	•	•
Grill	•	•	•	•
Fan heater	•	•	•	•
Fan motor	•	•	•	•
Control type	Electronic	Mechanical	Electronic	Mechanical
Oven light with door opening	-	-	•	-
Cavity volume (lt)	55 lt	58 lt	55 lt	55 lt
Indicator for oven functions	•	•	•	•
Indicator for thermostat	On the display	On the knob	On the display	On the knob
Indicator for hob	•	On the knob	•	On the knob
FEATURES				
Turn spit	-	-	-	-
Programmer	Multi-language text	Digital	Multi-language text	Digital
Oven light	1	1	2	2
Foldable grill	-	-	•	•
Child lock	•	-	•	-
OVEN DOOR				
Inner door type			Full glass	Full glass
Number of door glass	4	4	3	3
Cool door	•	•	•	•
OVEN CAVITY TYPE				
Enameled cavity	Pyrolytic enamel	Pyrolytic enamel	Easy-to-clean-grey enamel	Easy-to-clean-grey enamel
Backwall catalytic	-	-	•	•
Side racks	-	-	•	•
Pull-out shelf system	1	-	3	1
ACCESSORIES				
Cooking tray-enamel	1	1	1	1
Baking tray-enamel	1	1	1	1
Wire shelf	1	1	1	1
Wire shelf with stopper	2	1	1	1
Pizza pan	1			
ENERGY				
Rated power (W)	10200	10200	10200	10200
Supply/voltage (V / Hz)	230-240/50	230-240/50	230-240/50	230-240/50
ENERGY CONSUMPTION				
Energy efficiency class	A	A	A	A
- conventional heating (kWh)	0,88	0,88	0,88	0,88
- fan heating (kWh)	0,79	0,79	0,79	0,79
DIMENSIONS				
Niche (HxWxD) mm	600x560x550	600x560x550	600x560x550	600x560x550
Product (HxWxD) mm	595x594x550	595x594x550	595x594x550	595x594x550

MODEL	BIO 1430	BIO 1411
COLOR OPTIONS		
Stainless steel-X	•	•
Aluminium-L	-	-
White-Alu glass inlay-A	•	
OVEN		
Oven type	Multifunction	Electroturbo
Oven functions	1.Defrost, 2.Conventional, 3.Top, bottom and fan heat, 4.Fan heating, 5.Bottom heat, 6.Low Grill and fan heat, 7.Strong Grill, 8.3D cooking	1.Top, bottom heat and fan, 2.Conventional, 3.Bottom heat, 4.Low Grill and fan, 5.Strong Grill, 6.Booster
Pyrolysis	-	-
Booster function	-	•
3D cooking function	•	-
Grill	•	•
Fan heater	•	-
Fan motor	•	•
Control type	Mechanical	Mechanic
Oven light with door opening	-	-
Cavity volume (lt)	55 lt	56 lt
Indicator for oven functions	On the knob	On the control panel
Indicator for thermostat	On the knob	On the control panel
Indicator for hob	On the knob	On the control panel
FEATURES		
Turn spit	-	-
Programmer	Digital	Digital
Oven light	2	1
Foldable grill	•	•
Child lock	-	-
OVEN DOOR		
Inner door type	Full glass	Full glass
Number of door glass	3	3
Cool door	•	•
OVEN CAVITY TYPE		
Enameled cavity	Easy-to-clean-grey enamel	Easy-to-clean-grey enamel
Backwall catalytic	•	-
Side racks	-	•
Pull-out shelf system	1	-
ACCESSORIES		
Cooking tray-enamel	1	
Baking tray-enamel	1	1
Wire shelf	1	1
Wire shelf with stopper	1	1
Pizza pan		
ENERGY		
Rated power (W)	9500	10200
Supply/voltage (V / Hz)	230-240/50	230-240/50
ENERGY CONSUMPTION		
Energy efficiency class	A	A
- conventional heating (kWh)	0,88	0,88
- fan heating (kWh)	0,79	0,79
DIMENSIONS		
Niche (HxWxD) mm	600x560x550	600x560x550
Product (HxWxD) mm	595x594x550	595x594x550

MODEL	MKN 1421	MKN 1410	MKN 1400
COLOR OPTIONS			
Stainless steel-X			
Aluminium-L	•	•	•
White-Alu-A	-	-	-
HOB			
Hob type	Vitroceraamic	Vitroceraamic	Vitroceraamic
Width	60 cm	60 cm	60 cm
Frame	Front/Back: Frame Facetted side edges	Front/Back: Frame Facetted side edges	Front/Back: Frame Facetted side edges
Control type	Oven control	Oven control	Oven control
Control knobs	On the oven	On the oven	On the oven
Control level	9 cooking positions per zone	9 cooking positions per zone	9 cooking positions per zone
ZONES			
Number of zone and type	4 Vitroceraamic	4 Vitroceraamic	4 Vitroceraamic
Front left-(mm-W)	120/210-750/2200 (Duo)	210-2300	210-2300
Rear left-(mm-W)	160-1500	160-1500	160-1500
Front right-(mm-W)	140-1200	140-1200	140-1200
Rear right-(mm-W)	170/265-1500/2400 (Rect.-Ext.)	120/180-1700 (Duo)	180-1800
Central-(mm-W)	-	-	-
FEATURES			
On/off light	•	•	•
Residual heat indicator	•	•	•
ENERGY			
Rated power (W)	6400	6700	6800
Supply/Voltage (V / Hz)	230 V-50 Hz	230 V-50 Hz	230 V-50 Hz
Rated amperage (A)	use with BU ovens	use with BU ovens	use with BU ovens
DIMENSIONS			
Niche dimensions (HxWxD) mm	560x490	560x490	560x490
Product dimensions (HxWxD) mm	35x580x522	35x580x522	35x580x522
Weight (Packed/Unpacked) kg	10/9	10/9	10/9

MODEL	BEO 1690	BEO 1570	BEO 1450
COLOR OPTIONS			
Stainless steel-X	•	•	•
Aluminium-L	•	•	•
White-Alu glass inlay-A	-	-	•
OVEN			
Oven type	Multifunction	Multifunction	Multifunction
Oven functions	1.Conventional, 2.Top, bottom heat and fan, 3.Fan cooking, 4.3D cooking, 5.Pizza, 6.Bottom heat, 7.Top t, 8.Grill, 9.Strong Grill, 10.Strong Grill and fan, 11.Warm keeping, 12.Defrost, 13. Pyro	1.Conventional, 2.Fan cooking, 3.Grill and fan, 4.Pizza, 5.Grill, 6.Bottom heat, 7.Defrost, 8.Top, bottom heat and fan, 9.Strong Grill, 10.Booster, 11.3D cooking, 12.Pyro	1.Conventional, 2.Fan cooking, 3.Grill and fan, 4.Strong Grill, 5.Pizza, 6.3D cooking, 7.Bottom heat, 8.Defrost, 9.Booster, 10.Pyro
Pyrolysis	•	•	•
Booster function	•	•	•
3D cooking function	•	•	•
Grill	•	•	•
Fan heater	•	•	•
Fan motor	•	•	•
Control type	Electronic	Electronic	Mechanical
Oven light with door opening	•	-	-
Cavity volume (lt)	55 lt	55 lt	58 lt
Indicator for oven functions	On the display	•	•
Indicator for thermostat	On the display	On the display	On the knob
FEATURES			
Turn spit	•	-	•
Programmer	Multi-language electronic with animated display	Multi-language text	Digital
Oven light	1	1	1
Foldable grill	-	-	-
Child lock	•	•	•
OVEN DOOR			
Inner door type			
Number of door glass	4	4	4
Cool door	•	•	•
OVEN CAVITY TYPE			
Enameled cavity	Pyrolytic enamel	Pyrolytic enamel	Pyrolytic enamel
Backwall catalytic	-	-	-
Side racks	-	-	-
Pull-out shelf system	1 level	1 level	-
ACCESSORIES			
Cooking tray-enamel	1	1	1
Baking tray-enamel	1	1	1
Wire shelf			1
Wire shelf for pull-out shelf system&wire shelf in tray	2	2	1
Pizza pan (31 mm. deep)	1	1	
ENERGY			
Rated power (W)	3200	3200	3200
Supply/voltage (V / Hz)	230-240/50	230-240/50	230-240/50
ENERGY CONSUMPTION			
Energy efficiency class	A	A	A
- conventional heating (kWh)	0,88	0,88	0,88
- fan heating (kWh)	0,79	0,79	0,79
DIMENSIONS			
Niche (HxWxD) mm	600x560x550	600x560x550	600x560x550
Product (HxWxD) mm	595x594x550	595x594x550	595x594x550

MODEL	BEO 1680	BEO 1540	BEO 1440
COLOR OPTIONS			
Stainless steel-X	•	•	•
Aluminium-L	•	•	-
White-Alu glass inlay-A	-	-	-
OVEN			
Oven type	Multifunction	Multifunction	Multifunction
Oven functions	1.Conventional, 2.Top, bottom heat and fan, 3.Fan heat, 4.3D cooking, 5.Pizza, 6.Bottom heat, 7.Top heat, 8.Grill, 9.Strong Grill, 10.Strong grill and fan, 11.Warm keeping, 12.Defrost	1.Conventional, 2.Fan heating, 3.Grill and fan, 4.Pizza, 5.Grill, 6.Bottom heat, 7.Defrost, 8.Booster, 9.Strong Grill, 10.3D cooking	1.Conventional, 2.Fan heating, 3.Grill and fan, 4.Pizza, 5.Grill, 6.Bottom heat, 7.Defrost, 8.Booster, 9.Strong Grill, 10.3D cooking
Pyrolysis	-	-	-
Booster function	•	•	•
3D cooking function	•	•	•
Grill	•	•	•
Fan heater	•	•	•
Fan motor	•	•	•
Control type	Electronic	Electronic	Mechanical
Oven light with door opening	•	•	•
Cavity volume (lt)	55 lt	55 lt	55 lt
Indicator for oven functions	On the display	•	•
Indicator for thermostat	On the display	On the display	On the knob
FEATURES			
Turn spit	•	-	-
Programmer	Multi-language electronic with animated display	Multi-language text	Digital
Oven light	2	2	2
Foldable grill	•	•	•
Child lock	•	•	-
OVEN DOOR			
Inner door type	Full glass	Full glass	Full glass
Number of door glass	3	3	3
Cool door	•	•	•
OVEN CAVITY TYPE			
Enameled cavity	Easy-to-clean-grey enamel	Easy-to-clean-grey enamel	Easy-to-clean-grey enamel
Backwall catalytic	•	•	•
Side racks	•	•	•
Pull-out shelf system	1 level	1 level	1 level
ACCESSORIES			
Cooking tray-enamel	1	1	1
Baking tray-enamel	1	1	1
Wire shelf	1	1	1
Wire shelf for pull-out shelf system&wire shelf in tray	2	1	1
Pizza pan (31 mm. deep)	1	1	-
ENERGY			
Rated power (W)	3200	3200	3200
Supply/voltage (V / Hz)	230-240/50	230-240/50	230-240/50
ENERGY CONSUMPTION			
Energy efficiency class	A	A	A
- conventional heating (kWh)	0,88	0,88	0,88
- fan heating (kWh)	0,79	0,79	0,79
DIMENSIONS			
Niche (HxWxD) mm	600x560x550	600x560x550	600x560x550
Product (HxWxD) mm	595x594x550	595x594x550	595x594x550

MODEL	BEO 1430	BEO 1410	BEO 1011	BEO 1101
COLOR OPTIONS				
Stainless steel-X	•	•	•	•
Aluminium-L	-	-	-	-
White-Alu glass inlay-A	•	-	-	•
OVEN				
Oven type	Multifunction	Fan	Fan	Conventional
Oven functions	1.Defrost, 2.Conventional, 3.Top, bottom heat and fan, 4.Fan heating, 5.Bottom heat, 6.Low Grill and fan, 7.Strong Grill, 8.3D cooking	1.Top, bottom heat and fan, 2.Conventional, 3.Bottom heat, 4.Low Grill and fan, 5.Strong Grill, 6.Booster	1.Top, bottom heat and fan, 2.Conventional, 3.Bottom heat, 4.Low Grill and fan, 5.Strong Grill, 6.Booster	1.Top, heat 2.Conventional, 3.Bottom heat, 4.Grill
Pyrolysis	-	-	-	-
Booster function	-	•	•	-
3D cooking function	•	-	-	-
Grill	•	•	•	•
Fan heater	•	-	-	-
Fan motor	•	•	•	-
Control type	Mechanical	Mechanical	Mechanical	Mechanical
Oven light with door opening	-	-	-	•
Cavity volume (lt)	55 lt	56 lt	56 lt	58 lt
Indicator for oven functions	On the knob	On the knob	On the control panel	On the control panel
Indicator for thermostat	On the knob	On the knob	On the control panel	On the control panel
FEATURES				
Turn spit	-	-	-	-
Programmer	Digital	Digital	-	Mechanical
Oven light	2	1	1	1
Foldable grill	•	•	•	•
Child lock	-	-	-	-
OVEN DOOR				
Inner door type	Full glass	Full glass	Full glass	Full glass
Number of door glass	3	3	3	3
Cool door	•	•	•	•
OVEN CAVITY TYPE				
Enameled cavity	Easy-to-clean-grey enamel	Easy-to-clean-grey enamel	Easy-to-clean-grey enamel	Easy-to-clean-grey enamel
Backwall catalytic	•	-	-	-
Side racks	•	•	•	•
Pull-out shelf system	1	-	-	-
ACCESSORIES				
Cooking tray-enamel	1	-	1	-
Baking tray-enamel	1	1	2	1
Wire shelf	1	1	-	1
Wire shelf for pull-out shelf system&wire shelf in tray	1	1	1	-
Pizza pan	-	-	-	-
ENERGY				
Rated power (W)	2500	3200	2500	2400
Supply/voltage (V / Hz)	230-240/50	230-240/50	230-240/50	230-240/50
ENERGY CONSUMPTION				
Energy efficiency class	A	A	A	B
- conventional heating (kWh)	0,88	0,88	0,88	0,9
- fan heating (kWh)	0,79	0,79	0,79	0,9
DIMENSIONS				
Niche (HxWxD) mm	600x560x550	600x560x550	600x560x550	600x560x550
Product (HxWxD) mm	595x594x550	595x594x550	595x594x550	595x594x550

MODEL	BLM 1110
COLOR OPTIONS	
Stainless steel-X	•
Aluminium-L	-
White-Alu glass inlay-A	-
OVEN	
Oven type	Multifunction
Oven functions	1. Light, 2. Conventional, 3. Bottom heat, 4. Top heat, 5. Strong grill and fan with turn spit, 6. Strong grill with turn spit, 7. Top, bottom heat and fan, 8. Fan cooking, 9. Defrost
Pyrolysis	-
Booster function	-
3D cooking function	-
Grill	•
Fan heater	•
Fan motor	•
Control type	Mechanical
Oven light with door opening	-
Cavity volume (lt)	100 lt
Indicator for oven functions	On the control panel
Indicator for thermostat	On the control panel
FEATURES	
Turn spit	•
Programmer	Digital
Oven light	2
Foldable grill	-
Child lock	-
OVEN DOOR	
Inner door type	Full glass
Number of door glass	3
Cool door	-
OVEN CAVITY TYPE	
Enamelled cavity	Black enamel
Backwall catalytic	-
Side racks	•
Pull-out shelf system	-
ACCESSORIES	
Cooking tray-enamel	1
Baking tray-enamel	-
Wire shelf	1
Wire shelf for pull-out shelf system&wire shelf in tray	-
Pizza pan	-
ENERGY	
Rated power (W)	2700
Supply/voltage (V / Hz)	230/50
ENERGY CONSUMPTION	
Energy efficiency class	B
- conventional heating (kWh)	-
- fan heating (kWh)	1,198
DIMENSIONS	
Niche (HxWxD) mm	478x860x550
Product (HxWxD) mm	480x898x563

MODEL	BDE 1200
COLOR OPTIONS	
Stainless steel-X	•
Aluminium-L	•
OVEN	
Oven type	Steam oven
Oven functions	Time adjusted, fixed thermostat, child lock, animated LCD display, water inlet warning
Oven light with door opening	•
Cavity volume (lt.)	23
FEATURES	
Programmer	•
Oven light	•
Child lock	•
Cavity	Stainless steel
ACCESSORIES	
Stainless steel tray	•
Mesh filter	•
Wire shelf	•
2 level cooking accessory	Optional
ENERGY	
Total rated power (W)	2030
Supply/voltage (V / Hz)	220-240/50
DIMENSIONS	
Niche dimensions (HxWxD) mm	380x560x450
Product dimensions (HxWxD) mm	390x595x470
Weight (Packed/Unpacked) kg	23/20

microwave ovens

MODEL	MEE 5370	MEE 5170	MEE 4170	MEE 4040
COLOR OPTIONS				
Stainless steel-X	•	•	•	•
Aluminum-L	•	•	•	•
White-Alu-A	-	-	•	-
OVEN				
Oven type	Combi microwave oven	Microwave oven with grill	Microwave oven with grill	Solo microwave oven
Oven functions	Defrost, Baking, Grilling, Combi-cooking, Combi-grilling	Automatic cooking programs (3), Auto defrost programs by weight (4) Combination cooking (cooking+grilling) programs (3)	Automatic cooking programs (3), Auto defrost programs by weight (4) and combination cooking (cooking+grilling) programs (3)	Automatic cooking programs (3), Auto defrost programs by weight (4)
Cavity volume (lt.)	32	32	26	26
Grill	•	•	•	-
Control type	Electronic	Electronic	Electronic	Electronic
Microwave power levels	8	9	9	9
Microwave power (W)	900	900	900	900
Grill power (W)	1500	1200	1200	-
Grill power levels	3	3	3	-
Fan power (W)	1600	-	-	-
FEATURES				
Display	MW/Oven power, time/weight, temperature, functions	Time of day, cooking time, weight	Time of day, cooking time, weight	Time of day, function, cooking time, weight
Time of day seen on display	•	•	•	•
Programmer	•	•	•	•
Automatic cooking functions	•	•	•	•
Automatic weight functions	•	•	•	•
Oven light	•	•	•	•
Child lock	-	•	•	•
Stop turntable	•	-	-	-
Quick start function	•	•	•	•
Cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel
ACCESSORIES				
Glass plate	1	1	1	1
Fixed rack	-	1	1	-
2 level rack	1	-	-	-
ENERGY				
Total rated power (W)	3100	2750	2750	1550
Supply/voltage (V / Hz)	220-240/50	220-240/50	220-240/50	220-240/50
DIMENSIONS				
Niche dimensions (HxWxD) mm	450x600x550	450x600x550	450x600x550	450x600x550
Product dimensions (HxWxD) mm	460x592x507	460x592x507	460x592x507	460x592x507
Weight (Packed/Unpacked) kg	35,5/33	35,5/32	30/27	28/25

MODEL	MEE 2020	MEM 2020	MHE 2020
COLOR OPTIONS			
Stainless steel-X	•	•	•
Aluminum-L	•	•	•
White-Alu-A	•	-	-
OVEN			
Oven type	Solo microwave oven	Solo microwave oven	Solo microwave oven
Oven functions	Automatic cooking programs (3), Auto defrost programs by weight (3)	6 Functions timer, Warm keeping, Defrost, Simmering, Low cooking, Strong cooking	Automatic cooking programs (3), Auto defrost programs by weight (3)
Cavity volume (lt.)	20	20	20
Grill	-	-	-
Control type	Electronic	Mechanic	Electronic
Microwave power levels	9	5	9
Microwave power (W)	750	750	750
Grill power (W)	-	-	-
Grill power levels	-	-	-
Fan power (W)	-	-	-
FEATURES			
Display	Time of day, function, cooking time, weight		Time of day, function, cooking time, weight
Time of day seen on display	•	-	•
Programmer	•	• (30 min.)	•
Automatic cooking functions	•	-	•
Automatic weight functions	•	-	•
Oven light	•	•	•
Child lock	-	-	-
Stop turntable	•	•	•
Quick start function	•	-	•
Cavity	Stainless steel	Stainless steel	Stainless steel
ACCESSORIES			
Glass plate	1	1	1
Fixed rack	-	-	-
2 level rack	-	-	-
ENERGY			
Total rated power (W)	1250	1250	1250
Supply/voltage (V / Hz)	220-240/50	220-240/50	220-240/50 Hz.
DIMENSIONS			
Niche dimensions (HxWxD) mm	350-360x600x310	350-360x600x310	350-360x500x310
Product dimensions (HxWxD) mm	360x592x330	360x592x330	360x492x330
Weight (Packed/Unpacked) kg	23/22	23/22	23/22